

WREC-150 T3

SAVETANK: Water recovery tanks

SAVETANK tanks are the ideal solution for optimising water consumption in your laundry.

Perfect for businesses with limited space and smaller machines.

CONTRACT OF STANDING FEATURES

80 and 150 litre tanks to save a large amount of water in small spaces.

In column: each washer or barrier can have 1, 2 or 3 tanks in column.

Resistant: Made of high density polyethylene and external reinforcement with skinplate panel structure, stainless steel aesthetics.

Interior with rounded corners design to prevent dirt accumulation and facilitate cleaning.

EFFICIENCY

We saves water: thanks to the reuse of water at different stages of the washing and rinsing process.

We saves energy: by reducing the demand for conventional pumping and pressure systems, processes that require a considerable amount of energy.

We saves chemicals: by optimising the use of water in different phases of the wash, SAVETANK reduce the need for chemicals to treat the water, taking advantage of its purity in each cycle.

EASY MAINTENANCE

Plug and play: Easy to connect and install to washing machines with T2 control.

2 water level sensors in each SAVETANK.

Self-cleaning tanks with pre-set programmes (with T2 equipped washers).

Removable tanks for easy cleaning and maintenance.

+ OTHERS

Grey skinplate panels. High density polyethylene tanks. 2 water level sensors in each tank.


MACHINES THAT CAN BE CONNECTED TO SAVETANK

80l. tanks for:

- 11 to 18kg washers
- 16kg barriers

150l. tanks for:

- 22 to 28kg washers
- 22kg barriers



OPTIONS

- Kit ready for SAVETANK XL 3/4" for barriers LCA-16
- Kit ready for SAVETANK XL 3/4" for barriers LCA-22
- Kit ready for SAVETANK XL 3/4" for washers LS/RS-11/14/28

| TANKS | UNIT. | WREC-150 T3 |
|-------------------------------------|-------|-------------|
| Tanks | I | 150x3 |
| Front-load washing machine capacity | Kg | 27, 36 |
| Front-load washing machine barrier | Kg | 27, 35 |
| Outdoor furniture | - | skinplate |
| CONNECTIONS | | |
| Tension | V | 230V I |
| Water inlet | inch | 3/4" |
| Water outlet | inch | 3/4" |
| Fumes outlet | mm | 21 |
| Drain Ø | mm | 21 |
| DIMENSIONS / PACKING DIMENSIONS | | |
| Net width / Gross width | mm | 551 / 570 |
| Net depth / Gross depth | mm | 1273 / 1350 |
| Net height / Gross height | mm | 1438 / 1850 |
| Net weight / Gross weight | Kg | 80 / 100 |
| Volume | m³ | 1,43 |

